



केन्द्रीय प्रदूषण नियंत्रण बोर्ड  
CENTRAL POLLUTION CONTROL BOARD  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

Email / Speed Post

Date : February 05, 2018

CPCB-B 33014/46/2017/IPC-II/

17143

To

~~The Regional Director (East)  
Central Pollution Control Board  
Southend Conclave, Block 502,  
5th & 6th Floors, 1582 Rajdanga Main Road,  
Kolkata-700107 (West Bengal).~~

**Sub:** Re-inspection of Chaliyama Steel Plant (Rungta Mines Ltd), PO – Keshargadia, Dt-  
Saraikela-Kharsawa, Chaibasa, Jharkhand.

**Ref:**

1. Inspection report vide letter No. EZO/Tech/ESS/SMS/Jharkhand/881, dated 12.09.2017
2. CPCB Directions under Section 5 of the E(P) Act, 1986, vide letter No. CPCB-B-33014/46 (IronSteel)/ 2017/ IPC-II/12238, dated 20.10.2017 & 18.12.2017.
3. Industry letter dated 13.11.2017 & 20.12.2017.

Sir,

Please refer to the Show Cause Notice issued by CPCB vide letter dated 20.10.2017 as the manual monitoring could not be performed during the aforesaid inspection and Industry reply vide letter dated 13.11.2017 and 20.12.2017. In this regard, it is to inform that, as per compliance report submitted by the unit, it has provided facilities for manual monitoring. Therefore, you are requested to re-visit / re-inspect the industry for compliance verification and report may be provided at earliest possible, within one month.

Yours Faithfully,

[Nazimuddin]

Div. Head, IPC-II

Copy to:

1. The Divisional Head IPC-VI, Division, CPCB, Delhi : For information and to take necessary action.
2. The Divisional Head, IT Div. CPCB, Delhi : For information and to take necessary action.